

Serial No. 10/685,971

**AMENDMENTS****In the Claims:**

Please amend the claims as follows. This listing of claims will replace all prior versions and listings of claims in the application.

**Claim Listing**

1. (Currently Amended) A food cutting device comprising:  
a body having two longitudinal edges and a blade configured such that its cutting edge is a predetermined distance from a plate provided therein;  
a food holder having a guide configured to slidably ~~slideably~~ connect to at least one of said longitudinal edges of said body to thereby bring a food item in contact with said blade, ~~wherein~~ said food holder configured to be is simultaneously slidable along said at least one of said longitudinal edges and rotatable during use ~~slideably and rotateably attached to said guide via a hinge~~.
2. (Canceled).
3. (Original) The food cutting device of claim 1, wherein said food holder is configured to slide along an axis parallel to said longitudinal edges.
4. (Original) The food cutting device of claim 1, wherein said blade is substantially "V"-shaped.

Serial No. 10/685,971

5. (Previously Presented) The food cutting device of claim 1, wherein said plate is removable from said body.
6. (Original) The food cutting device of claim 1, wherein said food holder includes a hollow portion and a plunger portion.
7. (Original) The food cutting device of claim 1, wherein said food holder includes a plurality of protrusions along at least one of its surfaces.
8. (Original) The food cutting device of claim 6, wherein said plunger includes a plurality of protrusions along at least one of its surfaces.
9. (Withdrawn) A food cutting device comprising:  
a body having two longitudinal edges and a blade configured such that its cutting edge is a predetermined distance from a plate provided therein, wherein said plate is selected from a set of plates associated with different cutting thicknesses;  
a storage caddy having a housing and a pair of housing guides, said housing guides configured to slideably connect to at least one of said longitudinal edges of said body, said storage caddy configured to store one or more of said set of plates during non-use.
10. (Withdrawn) The food cutting device of claim 9, wherein one of said plates includes a protector configured to cover said blade on the underside of said body.

Serial No. 10/685,971

11. (Withdrawn) The food cutting device of claim 10, wherein said storage caddy is configured such that said plate including a protector cannot be inserted in said caddy, but is configured to be inserted in said body during storage.